

IN THE CLAIMS

10/529059
JC17 Rec'd PCT/PTO 24 MAR 2005

1. (original) A serine recombinase comprising a catalytic domain and a DNA binding domain wherein said catalytic domain is mutated at G101 or at a position corresponding to G101 of Tn3 resolvase.
2. (original) A serine recombinase according to claim 1 wherein the mutation is G101S.
3. (original) A serine recombinase comprising a catalytic domain and a DNA binding domain wherein said catalytic domain is mutated at Q105 or at a position corresponding to Q105 of Tn3 resolvase.
4. (original) A serine recombinase according to claim 3 wherein the mutation is Q105L.
5. (original) A serine recombinase comprising a catalytic domain and a DNA binding domain wherein said catalytic domain is mutated at D102 or at a position corresponding to D102 of Tn3 resolvase, and wherein the serine recombinase is not a D102Y E124Q mutant.
6. (original) A serine recombinase according to claim 3 wherein the mutation is selected from D102Y, D102I, D102F, D102T, *D102V*, *D102W* or D102A.
7. (currently amended) A serine recombinase according to ~~any one of the preceding~~ claim[s] 1 further comprising one or more additional mutations selected from the group L105Q, V107M, V107L, V107F, Q105L, A117V, R121K, E124Q, E124A, A89T, F92S, M103I or at positions corresponding to these mutations in Tn3 resolvase.
8. (currently amended) A serine recombinase according to ~~any one of the preceding~~ claim[s] 1 further comprising a one or more mutations of the surface residues corresponding to a '2,3' interface.
9. (original) A serine recombinase according to claim 8 wherein the one or more mutations of the surface residues corresponding to a '2,3' interface include R2A and E56K or positions corresponding to R2A and E56K in Tn3 resolvase.

10. (currently amended) A serine recombinase according to ~~any one of the preceding~~ claim[s] 1 further comprising a one or more mutations of the surface residues corresponding to a '1,2' interface.

11. (original) A serine recombinase according to claim 10 wherein the one or more mutations of the surface residues corresponding to a '1,2' interface include L66, G70, M76, M103, V107, T109, A117, R121, and E124 or positions corresponding to L66, G70, M76, M103, V107, T109, A117, R121, and E124 in Tn3 resolvase.

12. (currently amended) A serine recombinase according to ~~any one of~~ claim[s] 1-9 further comprising the mutations R2A, E56K, G101S, D102Y, M103I and Q105L or the positions corresponding to these mutations in Tn3 resolvase.

13. (original) A serine recombinase according to claim 12 further comprising the mutation V107F or the position corresponding to this mutation in Tn3 resolvase.

14. (currently amended) A serine recombinase according to ~~any one of the preceding~~ claim[s] 1 which is selected from the group consisting of Tn3 resolvase, Sin recombinase, y6 resolvase, Tn 21 resolvase, R resolvase, ISXc5 resolvase, Gin resolvase, Hin resolvase, Methanococcus jannaschii.resolvase, 15667 resolvase, *ccrA1* resolvase, TN4451 resolvase, TP901-1 resolvase and OC31 resolvase.

15. (currently amended) A nucleic acid sequence encoding a serine recombinase according to ~~any one of the preceding~~ claim[s] 1.

16. (original) A nucleic acid expression vector comprising a nucleic acid sequence according to claim 15.

17. (currently amended) A host cell comprising a nucleic acid sequence according to claim 15 ~~or a nucleic acid expression vector according to claim 16~~.

18. (original) A hybrid recombinase comprising a catalytic domain from a serine recombinase connected by way of a linker to a heterologous DNA binding domain wherein said hybrid recombinase is capable of binding nucleic acid by way of said DNA binding

domain and said catalysing recombination of said DNA.

19. (original) A hybrid recombinase according to claim 18 wherein the heterologous DNA binding domain is the DNA binding domain of Zif268.

20. (original) A hybrid recombinase according to claim 19 wherein the Zif268 DNA binding domain comprises a wild-type sequence starting from residue 2.

21. (original) A hybrid recombinase according to claim 18 wherein the Zif268 DNA binding domain is mutated at one or more amino acids.

22. (currently amended) A hybrid recombinase according to ~~any one of claim[s] 18 to 21~~ wherein the catalytic domain is mutated at G101 or at a position corresponding to G101 of Tn3 resolvase.

23. (original) A hybrid recombinase according to claim 22 wherein the mutation is G101S.

24. (currently amended) A hybrid recombinase according to ~~any one of claim[s] 18 to 21~~ wherein said catalytic domain is mutated at Q105 or at a position corresponding to Q105 of Tn3 resolvase.

25. (original) A hybrid recombinase according to claim 24 wherein the mutation is V107F.

26. (currently amended) A hybrid recombinase according to ~~any one of claim[s] 18 to 21~~ wherein said catalytic domain is mutated at D102 or at a position corresponding to D102 of Tn3 resolvase.

27. (original) A hybrid recombinase according to claim 26 wherein the mutation is selected from D102Y, D102I, D102F, D102T, D102V, D102W or D102A.

28. (currently amended) A hybrid recombinase according to ~~any one of claim[s] 18 to 27~~ wherein said catalytic domain comprises one or more additional mutations selected from the group R2A, E56K, G101S, D102Y, L105Q, V107M, V107L, V107F, Q105L, A117V,

R121K, E124Q, E124A, A89T, F92S, M1031 or at position corresponding to these mutations in Tn3 resolvase.

29. (original) A hybrid recombinase according to claim 28 wherein said catalytic domain comprises the mutations R2A, E56K, G101S, D102Y, M1031 and Q105L or the positions corresponding to these mutations in Tn3 resolvase.

30. (original) A hybrid recombinase according to claim 29 further comprising the mutation V107F or the position corresponding to this mutation in Tn3 resolvase.

31. (currently amended) A hybrid recombinase according to ~~a any one of~~ claim[s] 18 to 30 wherein the catalytic domain is between 125 and 146 amino acids in length.

32. (original) A hybrid recombinase according to claim 31 wherein said catalytic domain is 125 amino acids in length.

33. (original) A hybrid recombinase according to claim 31 wherein the catalytic domain is 146 amino acids in length.

34. (original) A hybrid recombinase according to claim 31 wherein the catalytic domain is 140 amino acids in length.

35. (original) A hybrid recombinase according to claim 31 wherein the catalytic domain is 144 amino acids in length.

36. (currently amended) A hybrid recombinase according to ~~any one of~~ claim[s] 18[~~to~~ 35] wherein the linker sequence is selected from the group consisting of TVDRSSDPTSQ, GSGGSG, GSGGSGGSG, GSGGSGGSGGSG, GGGSGGG, GGGSGGGGSGGG, TVDRSSDPTSQTS, GSGGSGTS, GSGGSGGSGTS, GSGGSGGSGGSGTS, GGGSGGGTS, GGGSGGGGSGGGTS, NRVAQQLAGKQS, SDYTQNNIHO, TVDRTS and TS.

37. (original) A hybrid recombinase according to claim 36 wherein the linker sequence is

TVDRTS.

38. (currently amended) A hybrid recombinase according to ~~any one of claim[s] 18 to 37~~ wherein the catalytic domain is a Tn3 resolvase catalytic domain.

39. (original) A hybrid recombinase comprising a Tn3 resolvase catalytic domain, which catalytic domain comprises the mutations R2A, E56K, G101S, D102Y, M1031 and Q105L and V107F, linked to a DNA binding domain via a linker comprising the sequence TS, wherein said hybrid recombinase is capable of binding nucleic acid by way of said DNA binding domain and catalysing recombination of said DNA.

40. (original) A hybrid recombinase according to claim 39 wherein the linker comprises the sequence TVDRTS.

41. (original) A hybrid recombinase according to claim 39 wherein the catalytic domain is amino acids 1 to 148 of a TN3 resolvase catalytic domain.

42. (currently amended) A hybrid recombinase according to claim 39 ~~or claim 40~~ wherein the catalytic domain is amino acids 1 to 144 of a TN3 resolvase catalytic domain.

43. (currently amended) A nucleic acid sequence encoding a hybrid recombinase according to ~~any one of claim[s] 18 to 42~~.

44. (original) A nucleic acid expression vector comprising a nucleic acid sequence according to claim 43.

45. (currently amended) A host cell comprising a nucleic acid sequence according to claim 43 ~~or a nucleic acid expression vector according to claim 44~~.

46. (original) A catalytic domain of a serine recombinase which has been mutated at G101 or at a position corresponding to G101 of Tn3 resolvase.

47. (original) A catalytic domain according to claim 46 wherein the mutation is G101S.

48. (original) A catalytic domain of a serine recombinase which has been mutated at Q105 or at a position corresponding to Q105 of Tn3 resolvase.

49. (original) A catalytic domain according to claim 48 wherein the mutation is Q105L.

50. (original) A catalytic domain of a serine recombinase which is mutated at D102 of Tn3 resolvase, and wherein the catalytic domain does not further comprise a mutation at E124Q.

51. (original) A catalytic domain according to claim 50 wherein the mutation is selected from D102Y, D102I, D102F, D102T, D102V, D102W or d102a.

52. (currently amended) A catalytic domain according to ~~any one of claim[s] 46 to 51~~ further comprising one or more additional mutations selected from the group L105Q, V107M, V107L, V107F, Q105L, A117V, R121K, E124Q, E124A, A89T, F92S, M1103I or at positions corresponding to these mutations in Tn3 resolvase.

53. (currently amended) A catalytic domain according to ~~any one of claim[s] 46 to 52~~ further comprising a one or more mutations of the surface residues corresponding to a '2,3' interface.

54. (original) A catalytic domain according to claim 53 wherein the one or more mutations of the surface residues corresponding to a '2,3' interface include R2A and E56K or positions corresponding to R2A and E56K in Tn3 resolvase.

55. (currently amended) A catalytic domain according to ~~any one of claim[s] 46 to 54~~ further comprising a one or more mutations of the surface residues corresponding to a '1,2' interface.

56. (original) A catalytic domain according to claim 55 wherein the one or more mutations of the surface residues corresponding to a '1,2' interface include L66, G70, M76, M103, V107, T109, A117, R121, and E124 or positions corresponding to L66, G70, M76, M103, V107, T109, A117, R121, and E124 in Tn3 resolvase.

57. (currently amended) A catalytic domain according to ~~any one of claim[s] 46 to 56~~ further comprising the mutations R2A, E56K, G101S, D102Y, M103I and Q105L or the positions corresponding to these mutations in Tn3 resolvase.

58. (original) A catalytic domain according to claim 57 further comprising the mutation V107F or the position corresponding to this mutation in Tn3 resolvase.

59. (currently amended) A catalytic domain according to ~~any one of claim[s] 46 to 58~~ which is selected from the group consisting of Tn3 resolvase, Sin recombinase, yS resolvase, Tn 21 resolvase, 3 resolvase, ISXc5 resolvase, Gin resolvase, Hin resolvase, Methanococcus jannaschii.resolvase, 15607 resolvase, ccrA1 resolvase, TN4451 resolvase, TP901-1 resolvase and OC31 resolvase.

60. (currently amended) A nucleic acid sequence encoding a catalytic domain of a serine recombinase according to ~~any one of claim[s] 46 to 59~~.

61. (original) A nucleic acid expression vector comprising a nucleic acid sequence according to claim 60.

62. (original) A host cell comprising a nucleic acid sequence according to claim 60 or a nucleic acid expression vector according to claim 61.

63. (original) A method for identifying a hyperactive mutant serine recombinase capable of catalysing site-specific DNA recombination when bound to a recognition site comprising fewer nucleotides than necessary for achieving recombination with a corresponding wild-type serine recombinase, comprising the steps of

(a) mutating said wild-type serine recombinase such that the mutant recombinase comprises one or more mutations, in a catalytic domain of the recombinase, with respect to the wild-type serine recombinase; and

(b) detecting whether or not said mutant serine recombinase is capable of catalysing DNA recombination when bound to said recognition site comprising fewer nucleotides than necessary for achieving recombination with the corresponding wild-type serine recombinase

64. (currently amended) A method of recombining DNA comprising contacting a first DNA sequence and a second DNA sequence with a serine recombinase according to ~~any one of claim[s] 1 to 14~~ under suitable conditions for allowing a recombination of said first and second DNA sequences.

65. (currently amended) A method of recombining DNA comprising contacting a first DNA sequence and a second DNA sequence with a serine recombinase according to ~~any one of claim[s] 18 to 40~~ under suitable conditions for allowing a recombination of said first and second DNA sequences.

66. (currently amended) A method according to claim 64 ~~or claim 65~~ wherein said first DNA sequence and said second DNA sequence comprise at least the 28bp binding site I of Tn3 resolvase.

67. (currently amended) A kit for recombining a first DNA sequence and a second DNA sequence said kit comprising a serine recombinase according to ~~any one of claim[s] 1 to 14~~.

68. (currently amended) A kit for recombining a first DNA sequence and a second DNA sequence said kit comprising a hybrid recombinase according to ~~any one of claim[s] 18 to 42~~.

69. (currently amended) A kit for recombining a first DNA sequence and a second DNA sequence, said kit comprising ~~any one or more of the following~~

- ~~_____ i _____ a nucleic acid sequence according to claim 15;~~
- ~~_____ ii _____ a nucleic acid sequence according to claim 43;~~
- ~~_____ iii _____ a nucleic acid sequence according to claim 60;~~
- ~~_____ iv _____ a nucleic acid expression vector according to claim~~
~~16;~~
- ~~_____ v _____ a nucleic acid expression vector according to claim~~
~~44; _____ or~~
- ~~_____ vi _____ a nucleic acid expression vector according to claim~~
~~61.~~